


**SUNSEA**

# Optical Distribution Point



# FTT-H216U Terminal Box



The terminal box made of high strength materials, UV resistance, resistance to rain, maximum capacity up to 16 cores, the perfect space design, micro-optical splitter installation clever, can be used in indoor and outdoor environment, safe, reliable, cost-effective, provide the best solutions for optical access networks.

## Features :

1. High strength materials, UV resistant.
2. New waterproof design, suitable for indoor, outdoor overhead, wall mounting and other natural environment.
3. Special "Locking" type structure with shell opening and closing, operation more secure.
4. Splice tray with flip-storey design easy for install and maintain, splice points fiber completely, separated layout is more reasonable.
5. Protection class : IP65.
6. Meet the different needs of the hot melt and cold, high versatility

## Specifications and capacity

1. Dimension: 306mm x 240mm x 106mm (Length x Width x Height)
2. Weight : 1.8 KG
3. Accommodate 16 SC adapters optical ratio up to 1:16
4. Access to two fiber optic cable
5. Output fiber optic cable capacity of 16 cores.


## Use of the environment

1. Operating temperature :  $-40^{\circ}\text{C} - +60^{\circ}\text{C}$
2. Environmental Humidity 95% at  $40^{\circ}\text{C}$
3. Air pressure 62kPa -105kPa




## Accessories

1. 2 Hoops (outdoor air frame) Optional
2. Wall mount kit 1 set
3. Waterproof two dedicated lock key

## Lower Layer



## Upper Layer



*For more information, please contact our local agent :*



**PT. BUANA SELARAS GLOBALINDO**

ALITA Building Jl. TB Simatupang Kav. 12

Jakarta 12310 - Indonesia

Tel. : +62-21-7696708 (Hunting), Fax. : +62-21-7696707

[http ://www.buanasg.com](http://www.buanasg.com)